



25	DIN 71412 - AM 6 (coned short)	Lubricating Nipple, coned Type A	1	Cl. 5.6 Galv.	0,004 kg
24	ISO 7089 - 8	Plain washers - Normal series	3	HV 200 Galv.	0,002 kg
23	ISO 4017 - M8 x 25	Hexagon head screws	3	Cl. 8.8 Galv.	0,015 kg
22	ISO 4762 - M5 x 12	Hexagon Socket Head Cap Screw	4	Cl. 8.8 Galv.	0,004 kg
21	ISO 4762 - M6 x 12	Hexagon Socket Head Cap Screw	6	Cl. 8.8 Galv.	0,006 kg
20	ISO 4762 - M4 x 16	Hexagon Socket Head Cap Screw	6	Cl. 8.8 Galv.	0,003 kg
19	GFM-6065-50	Sliding Bearing with collar IGUS	1		0,028 kg
18	PSM_0810_10_1	Sliding Bearing IGUS	4		0,000 kg
17	T43180	Extension springs DIM	3	Stainless Steel	0,364 kg
16	xcmd211012	Limit Switch Telemecanique	2		0,025 lb
15	51204	Thrust ball bearings, single direction SKF	1		0,083 kg
14	7126-100-14-00	M2 actuator rubber washer $\varnothing 5.5 \varnothing 4$ Thk 0.5mm	1	EPDM Rubber	0,000 kg
13	7126-100-13-00	M2 actuator adapter	1	Stainless steel AISI 316L	0,002 kg
12	7126-100-12-00	M2 actuator Anti-turning device	1	Stainless steel AISI 316L	0,005 kg
11	7126-100-11-00	M2 actuator lower witness	1	Stainless steel AISI 316L	0,019 kg
10	7126-100-10-00	M2 actuator upper witness	1	Stainless steel AISI 316L	0,062 kg
9	7126-100-09-00	M2 actuator spring pin	6	Stainless steel AISI 316L	0,038 kg
8	7126-100-08-00	M2 actuator pivoting pin	4	Stainless steel AISI 316L	0,007 kg
7	7126-100-07-00	M2 actuator pivoting ring	1	Stainless steel AISI 316L	0,068 kg
6	7126-100-06-00	M2 actuator pivoting counterring	1	Stainless steel AISI 316L	0,077 kg
5	7126-100-05-00	M2 loadspreader pivoting head	1	Stainless steel AISI 316L	0,443 kg
4	7126-100-04-00	M2 actuator screw	1	Stainless steel AISI 316L	0,460 kg
3	7126-100-03-00	M2 actuator pad pivoting interface	1	Stainless steel AISI 316L	1,309 kg
2	7126-100-02-00	M2 actuator piston	1	Stainless steel AISI 316L	1,418 kg
1	7126-100-01-00	M2 actuator body	1	Stainless steel AISI 316L	3,005 kg
Item	Code	Description	Q.ty	Material	Mass

		EIE GROUP via Torino 151A - Mestre Venezia - 30172 - ITALY tel. +39 041 5317906 - www.eie.it			
Material:		Surface:		Tolerances according to: ISO 2768/1-m ISO 2768/2-k	
Status:		Mass: 8,47 kg		Roughness: Comnessa/Job no.: G0113	
Designed: 10/04/2018		Date: 04.03.21		Naming: Electro Mechanics	
Checked: 10/04/2018		Name: ABU		Optical Support Structure	
Approved: 12/04/2018		Name: ABU		M2 Support	
Drawing size: A2		Name: GPM		M2 Actuator	
Drawing size: A2		Name: GPM		Drawing N. 7126-100-00-00	
ALL RIGHTS BELONG TO EIE GROUP Srl		NO COPIES, REPRODUCTION OR DISSEMINATION ARE PERMITTED.		Filename: M2 actuator.iam	
Sheet: 1/1					